Pain, 63 (1995) 400–402
© 1995 Elsevier Science B.V. All rights reserved 0304-3959/95/$07.00

Contents to Volume 63 (1995)

Number 1 – October 1995

Editorial
Noradrenaline-evoked pain in neuralgia
P.D. Wall (UK) 1

Review Article
The attentional control of pain: methodological and theoretical concerns
C. Eccleston (UK) 3

RESEARCH PAPERS

Noradrenaline-evoked pain in neuralgia
E. Torebjörk, L.K. Wahren, G. Wallin, R. Hallin and M. Koltzenburg (Sweden, Germany) 11
Changes in neuronal markers in a mononeuropathic rat model: relationship between neuropeptide Y, pre-emptive drug treatment and long-term mechanical hyperalgesia
R. Munglani, A. Bond, G.D. Smith, S.M. Harrison, P.J. Elliot, P.J. Birch and S.P. Hunt (UK) 21
Effect of lamotrigine in the acute and chronic hyperalgesia induced by PGE_2 and in the chronic hyperalgesia in rats with streptozotocin-induced diabetes
M. Nakamura-Craig and R.L. Follenfant (UK) 33
Spinal mu and delta, but not kappa, opioid-receptor agonists attenuate responses to noxious colorectal distension in the rat
R.M. Danzebrink, S.A. Green and G.F. Gebhart (USA) 39
Disruption and restoration of dorsal horn sensory map after peripheral nerve crush and regeneration
T. Sugimoto, A. Yoshida, K. Nishijima and H. Ichikawa (Japan) 49
Unilateral decrease in thalamic activity observed with positron emission tomography in patients with chronic neuropathic pain
M.J. Iadarola, M.B. Max, K.F. Berman, M.G. Byas-Smith, R.C. Coghill, R.H. Gracely and G.J. Bennett (USA) 55
Validation of World Health Organization Guidelines for cancer pain relief: a 10-year prospective study
D.F.J. Zech, S. Grond, J. Lynch, D. Hertel and K.A. Lehmann (Germany) 65
Development and initial validation of a scale to measure self-efficacy beliefs in patients with chronic pain
K.O. Anderson, B.N. Dowds, R.E. Pelletz, W.T. Edwards and C. Peeters-Asdourian (USA) 77
Ultrasound therapy in musculoskeletal disorders: a meta-analysis
A.N. Gam and F. Johannsen (Denmark) 85
Capsaicin-induced flare and vasodilatation in patients with post-herpetic neuralgia
G.C. Morris, S.J. Gibson and R.D. Helme (UK, Australia) 93
Increased cerebrospinal fluid Met-enkephalin immunoreactivity in patients with chronic tension-type headache
M. Langemark, F.W. Bach, R. Ekman and J. Olesen (Denmark, Sweden) 103
Peripheral administration of nerve growth factor in the adult rat produces a thermal hyperalgesia that requires the presence of sympathetic post-ganglionic neurones
N.Yu. Andreev, N. Dimitrieva, M. Koltzenburg and S.B. McMahon (UK, Germany) 109
Phrenic afferent input excites C_1-C_2 spinal neurons in rats
J.C. Razook, M.J. Chandler and R.D. Foreman (USA) 117
Reflex sympathetic dystrophy: changing concepts and taxonomy
M. Stanton-Hicks, W. Jänig, S. Hassenbusch, J.D. Haddox, R. Boas and P. Wilson (USA, Germany, New Zealand) 127

LETTERS TO THE EDITOR

Comments on Fitzgibbon and Galer, PAIN, 58 (1994) 429–431
A.G. Lipman (USA) 135
Avoiding fallacies in nociceptive measurements
J. Carmody (Australia) 136

Number 2 – November 1995

Guest Editorial
Radiotherapy for bone pain
P.J. Hoskin (UK) 137

Pain, 63 (1995) 400–402
© 1995 Elsevier Science B.V. All rights reserved 0304-3959/95/$07.00

Contents to Volume 63 (1995)

Number 1 – October 1995

Editorial
Noradrenaline-evoked pain in neuralgia
P.D. Wall (UK) 1

Review Article
The attentional control of pain: methodological and theoretical concerns
C. Eccleston (UK) 3

RESEARCH PAPERS

Noradrenaline-evoked pain in neuralgia
E. Torebjörk, L.K. Wahren, G. Wallin, R. Hallin and M. Koltzenburg (Sweden, Germany) 11
Changes in neuronal markers in a mononeuropathic rat model: relationship between neuropeptide Y, pre-emptive drug treatment and long-term mechanical hyperalgesia
R. Munglani, A. Bond, G.D. Smith, S.M. Harrison, P.J. Elliot, P.J. Birch and S.P. Hunt (UK) 21
Effect of lamotrigine in the acute and chronic hyperalgesia induced by PGE_2 and in the chronic hyperalgesia in rats with streptozotocin-induced diabetes
M. Nakamura-Craig and R.L. Follenfant (UK) 33
Spinal mu and delta, but not kappa, opioid-receptor agonists attenuate responses to noxious colorectal distension in the rat
R.M. Danzebrink, S.A. Green and G.F. Gebhart (USA) 39
Disruption and restoration of dorsal horn sensory map after peripheral nerve crush and regeneration
T. Sugimoto, A. Yoshida, K. Nishijima and H. Ichikawa (Japan) 49
Unilateral decrease in thalamic activity observed with positron emission tomography in patients with chronic neuropathic pain
M.J. Iadarola, M.B. Max, K.F. Berman, M.G. Byas-Smith, R.C. Coghill, R.H. Gracely and G.J. Bennett (USA) 55
Validation of World Health Organization Guidelines for cancer pain relief: a 10-year prospective study
D.F.J. Zech, S. Grond, J. Lynch, D. Hertel and K.A. Lehmann (Germany) 65
Development and initial validation of a scale to measure self-efficacy beliefs in patients with chronic pain
K.O. Anderson, B.N. Dowds, R.E. Pelletz, W.T. Edwards and C. Peeters-Asdourian (USA) 77
Ultrasound therapy in musculoskeletal disorders: a meta-analysis
A.N. Gam and F. Johannsen (Denmark) 85
Capsaicin-induced flare and vasodilatation in patients with post-herpetic neuralgia
G.C. Morris, S.J. Gibson and R.D. Helme (UK, Australia) 93
Increased cerebrospinal fluid Met-enkephalin immunoreactivity in patients with chronic tension-type headache
M. Langemark, F.W. Bach, R. Ekman and J. Olesen (Denmark, Sweden) 103
Peripheral administration of nerve growth factor in the adult rat produces a thermal hyperalgesia that requires the presence of sympathetic post-ganglionic neurones
N.Yu. Andreev, N. Dimitrieva, M. Koltzenburg and S.B. McMahon (UK, Germany) 109
Phrenic afferent input excites C_1-C_2 spinal neurons in rats
J.C. Razook, M.J. Chandler and R.D. Foreman (USA) 117
Reflex sympathetic dystrophy: changing concepts and taxonomy
M. Stanton-Hicks, W. Jänig, S. Hassenbusch, J.D. Haddox, R. Boas and P. Wilson (USA, Germany, New Zealand) 127

LETTERS TO THE EDITOR

Comments on Fitzgibbon and Galer, PAIN, 58 (1994) 429–431
A.G. Lipman (USA) 135
Avoiding fallacies in nociceptive measurements
J. Carmody (Australia) 136

Number 2 – November 1995

Guest Editorial
Radiotherapy for bone pain
P.J. Hoskin (UK) 137

RESEARCH PAPERS

The central nucleus of the amygdala contributes to the production of morphine antinociception in the formalin test
B.H. Manning and D.J. Mayer (USA) 141
Modification of rhythmical jaw movements by noxious pressure applied to the periosteum of the zygoma in decerebrate rabbits
G. Schwartz and J.P. Lund (Canada) 153
Effects of intravenous ketamine, alfentanil, or placebo on pain, pinprick hyperalgesia, and allodynia produced by intradermal capsaicin in human subjects
K.M. Park, M.B. Max, E. Robinovitz, R.H. Gracely and G.J. Bennett (USA) 163
Effects of intrathecal local anesthetics on spinal excitability and on the development of autotomy
L. Luo and Z. Wiesenfeld-Hallin (Sweden) 173
Analgesic effects induced by TENS and electroacupuncture with different types of stimulating electrodes on deep tissues in human subjects
K. Ishimaru, K. Kawakita and M. Sakita (Japan) 181
Relaxation and imagery and cognitive-behavioral training reduce pain during cancer treatment: a controlled clinical trial
K.L. Syrjala, G.W. Donaldson, M.W. Davis, M.E. Kippes and J.E. Carr (USA) 189
Effect of EMG biofeedback compared to applied relaxation training with chronic, upper extremity cumulative trauma disorders
S.H. Spence, L. Sharpe, T. Newton-John and D. Champion (Australia, UK) 199
Humor as a cognitive technique for increasing pain tolerance
M. Weisenberg, I. Tepper and J. Schwarzwald (Israel) 207
Influence of eye orientation on pain as a function of anxiety
J. Honoré, H. Hénon and J. Naveteur (France) 213
Differences in family functioning between patients with chronic headache and patients with chronic low back pain
M. Kopp, R. Richter, J. Rainer, P. Kopp-Wilfling, G. Rumpold and M.H. Walter (Austria, Germany) 219
Central representation of chronic ongoing neuropathic pain studied by positron emission tomography
J.-C. Hsieh, M. Belfrage, S. Stone-Elander, P. Hansson and M. Ingvar (Sweden, Taiwan) 225
Audible and ultrasonic vocalization elicited by single electrical nociceptive stimuli to the tail in the rat
D. Jourdan, D. Ardid, E. Chapuy, A. Eschalier and D. Le Bars (France) 237
The development of opioid tolerance in the formalin test in the rat
D.J. Detweiler, D.S. Rohde and A.I. Basbaum (USA) 251
The influence of colonic temperature changes in anaesthetised rats on tail skin temperatures and repeated testing of tail-flick latencies
S. Sapsed-Byrne, A. Holdcroft and D. Ridout (UK) 255

Clinical Notes

Subcutaneous fentanyl and sufentanil infusion substitution for morphine intolerance in cancer pain management
A. Paix, A. Coleman, J. Lees, J. Grigson, M. Brooksbank, D. Thorne and M. Ashby (Australia) 263
Massive opioid resistance in an infant with a localized metastasis to the midbrain periaqueductal gray
J.J. Collins, C.B. Berde, H.E. Grier, D.B. Nachmanoff and H.C. Kinney (USA) 271

Number 3 – December 1995

Editorial Comment 277

Review Articles

Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials
B.W. Koes, R.J.P.M. Scholten, J.M.A. Mens and L.M. Bouter (Netherlands) 279
Immune activation: the role of pro-inflammatory cytokines in inflammation, illness responses and pathological pain states
L.R. Watkins, S.F. Maier and L.E. Goehler (USA) 289

RESEARCH PAPERS

Intrathecal prostaglandin E_1 produces a long-lasting allodynic state
Y. Saito, M. Kaneko, Y. Kirihara, Y. Kosaka and J.G. Collins (Japan, USA) 303
Attenuation of pain-related hyperventilation in adjuvant arthritic rats with adrenal medullary transplants in the spinal subarachnoid space
H. Wang and J. Sagen (USA) 313
Neonatal testosterone exposure influences neurochemistry of non-opioid swim stress-induced analgesia in adult mice
W.F. Sternberg, J.S. Mogil, B. Kest, G.G. Page, Y. Leong, V. Yam and J.C. Liebeskind (USA) 321
Sex differences in the expression and antagonism of swim stress-induced analgesia in deer mice vary with the breeding season
M. Kavaliers and L.A.M. Galea (Canada, USA) 327
Increased pressure pain sensibility in fibromyalgia patients is located deep to the skin but not restricted to muscle tissue
E. Kosek, J. Ekholm and P. Hansson (Sweden) 335
Sensitivity of patients with painful temporomandibular disorders to experimentally evoked pain
W. Maixner, R. Fillingim, D. Booker and A. Sigurdsson (USA) 341
Chronic pain patient–spouse behavioral interactions predict patient disability
J.M. Romano, J.A. Turner, M.P. Jensen, L.S. Friedman, R.A. Bulcroft, H. Hops and S.F. Wright (USA) 353

A clinical procedure for assessment of severity of knee pain
B. Lewis, R. Bellomo, D. Lewis and G. Cumming (Australia) 361
Aspirin and acetaminophen reduced both Fos expression in rat lumbar spinal cord and inflammatory signs produced by carrageenin inflammation
P. Honoré, J. Buritova and J.-M. Besson (France) 365
Activation of a NO–cyclic GMP system by NO donors potentiates β-endorphin-induced antinociception in the mouse
J.Y. Xu, G.M. Pieper and L.F. Tseng (USA) 377
Relationship between hypothalamic-pituitary-adrenal activity and blockade of tolerance to morphine analgesia by pain: a strain comparison
A.L. Vaccarino and L.C. Couret Jr. (USA) 385

LETTERS TO THE EDITOR

Hypnotic analgesia and reflex activity
Y. Sharav and M. Tal (Israel) 391
Hypnotic analgesia and nociceptive reflex activity: reply to Y. Sharav and M. Tal
B.D. Kiernan, J.R. Dane and D.D. Price (USA) 391
Phantom or central neuropathic pain?
Ch.J. Vecht and P.A.E. Sillevis Smitt (The Netherlands) 392
Reply to Vecht and Sillevis Smitt
R. Baron and C. Maier (Germany) 394
Comments on Schwarzer et al., PAIN, 58 (1994) 195–200
P. Graziotti and R. Goucke (Australia) 394
Reply to P. Graziotti and R. Goucke
N. Bogduk, A. Schwarzer and C. Aprill (Australia) 395

Author Index to Volume 63 397

Contents to Volume 63 400